



DEPARTMENT OF HEALTH & HUMAN SERVICES

Public Health Service

NOV 10 1999

Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

Mr. Robert W. Griffiths
President
Rocky Mountain Research, Inc.
825 North 300 West, Suite NE 500
Salt Lake City, UT 84103

Re: K992857

LevelSens - Flexible, Model 201110, LevelSens - Rigid, Model 201070
Regulatory Class: II (TWO)
Product Code: 74 DTW
Dated: August 18, 1999
Received: August 25, 1999

Dear Mr. Griffiths:

We have reviewed your Section 510(k) notification of intent to market the device referenced above and we have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.


If your device is classified (see above) into either class II (Special Controls) or class III (Premarket Approval), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the Current Good Manufacturing Practice requirements, as set forth in the Quality System Regulation (QS) for Medical Devices: General regulation (21 CFR Part 820) and that, through periodic QS inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements concerning your device in the Federal Register. Please note: this response to your premarket notification submission does not affect any obligation you might have under sections 531 through 542 of the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.

Page 2 - Mr. Robert W. Griffiths

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4648. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its internet address "<http://www.fda.gov/cdrh/dsma/dsmamain.html>".

Sincerely yours,

A handwritten signature in black ink, appearing to read "Celia M. Witten", is written over the typed name and title.

Celia M. Witten, Ph.D., M.D.
Acting Director
Division of Cardiovascular, Respiratory
and Neurological Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

Enclosure

Rocky Mountain Research, Inc. † Salt Lake City, Utah

INDICATIONS FOR USE STATEMENT


510(K) Number: K992857.

DEVICE NAME: LevelSens

INDICATIONS FOR USE:

The LevelSens is an accessory safety device which monitors blood or saline levels in a reservoir and sounds an alarm when the level falls below a predetermined level.

It is currently configured for intended use with either Rigid Polycarbonate or Flexible Polyvinyl chloride (PVC) reservoirs.


(Division Sign-Off)

Division of Cardiovascular, Respiratory,
and Neurological Devices

510(k) Number K 992857

Concurrence of CDRH, Office of Device Evaluation (ODE)

Prescription Use: X
(Per 21 CFR 801.109)